

DEXTERITY GRIP



B0909

Structural fire fighting gloves. This glove offers high dexterity and comfort without compromising protection. Glove system consists of specially treated leather - waterproof, non-flammable and liquid chemicals resistant. Additional protection against heat and penetration of sharp or hot objects thanks Kevlar®/mineral fibre lining and reinforcements in knuckle and palm part. Water resistant breathable membrane stands for a barrier against bacteria and blood. Maximum tear resistance gloves can be a hazard if there is a possibility they could snag into moving parts and put the user in danger. All components and manufacturing - EU.

SPECIFICATION

Kevlar®/mineral fibre lining for cut protection
 High-quality leather shell - natural protection against mechanical and thermal risk
 The leather will not harden after being wet
 Reinforcements – in knuckle and palm parts
 Membrane – breathable barrier against bacteria, blood and chemicals
 Ergonomic shape – precurved fingers
 High sensitivity
 Easy on /off even when wet

MATERIALS


Shell – Specially tanned grain Elk leather
 Liner – Palm part - Kevlar®/mineral fibers
 Upper part - Protex M™/Fireblocker

STANDARDS

The gloves B0909 are made in accordance with Directive 89/686/EEC and satisfy the following latest norms:
 EN 420:2003+A1:2009 Protective gloves - General requirements and test methods
 EN 659:2003+A1:2008 Protective gloves for firefighters
 The gloves don't consist of any allergenic components.

CERTIFICATE

Certificate nr. 04609607
 CE 0493Centexbel Certified



EN 659:2008

PERFORMANCE LEVELS

Dexterity	3
Time for the removal of gloves	2 sec

Abrasion resistance	3
Cut resistance	5
Tear resistance	4
Puncture resistance	3

Burning behaviour	4
Contact heat resistance	4
Convective heat resistance	4
Radiant heat resistance	3



GRANQVISTS AB
 HYNBOHOLM 342, SE-655 91 KARLSTAD, SWEDEN
 PHONE +46 54 53 21 00 FAX +46 54 53 21 61
 info@granqvists.se www.granqvists.se

RETAILER



**DEPENDABLE
 HEXAGON STRUCTURE**